


# SG 6815

---



## PRODUCT INFORMATION

- **Operation:** hand
- **Range:** S - M
- **Fitting:** ceiling, wall
- **Colours:** white RAL 9016 or anodised aluminum, special colours possible
- **Fabrics:** refer to Silent Gliss fabric collection


### **Features:**

- 2-component (2C) glider technology
- Wave (2C)
- Bendable

# SYSTEM SPECIFICATIONS


## A. PROFILE

Profile and bending information




**SG 6103p**

Profile



## B. HOW TO MEASURE



A: System width

B: System height

C: Distance between floor and fabric

## C. SPECIFICATION

### TEXT

#### EN

Silent Gliss SG 6815 Hand Drawn Curtain Track System. Comprises aluminium profile SG 6103 supplied made to measure in silver anodised or white powder coated, alternatively a specified RAL colour. SG 11130 at 14/m, 2 end covers SG 6630 and 2 SG 6065 stops. Top fixed with brackets SG 6124/6175 at max. 800 mm centres / wall fix SG Smart Fix at max. 800 mm centres. Silent Gliss Wave option is available.

#### SV

Silent Gliss SG 6815 handdragssystem. Består av aluminiumprofil SG 6103 i specificerad längd i vitlack, alu natur eller angiven RAL färg. 14 st SG 11300 SILENT TRACK glid per meter, 2 st SG 6630 ändskydd samt 2 st SG 6065 vridstopp per system. Takmonteras med fäste SG 6124/6175 c/c 800 mm. Kan användas med system Wave.

#### NO

Silent Gliss SG 6815 Manuell gardinskinne. Består av aluminiumprofil SG 6103 i spesifisert lengde, standard i hvitlakkert eller alu natur. Kan også leveres i spesifisert RAL farge. 14 stk SG 11300 SILENT TRACK glidere pr meter, 2 stk 6630 endeløkk og 2 stk SG 6065 vristopp pr system. Takmonteres med feste SG 6124/ 6175 c/c 800 mm. Kan kombineres med Wave system.

#### DA


Silent Gliss SG 6815 håndtrukket gardinskinnesystem. Består af en aluminiumprofil SG 6103 i ønsket længde, sølvanodiseret eller hvid pulverlakering, alternativt en specificeret RAL-farve. 14 stk. SG 11130 glidere pr. m og 2 stk. SG 6630 endelåg samt 2 stk. SG 6065 endestop. Loftmonteres med beslagene SG 6124/6175 medhøjest 800 mm afstand. Vægmonteres med SG Smart Fix med højest 800 mm afstand. Kan bruges med Silent Gliss Wave.

# FITTING


## A. FITTING INFORMATION

For detailed fitting information, visit the Silent Gliss website.


### Fixing points




## B. CEILING FITTING




Mini hanger SG 6175



Bracket SG 6124




SG 6175  
Mini hanger



SG 6124  
Bracket


## C. WALL FITTING

### Smart Fix




Smart Fix with slot SG 11206 - SG 11208:  
Screw SG 10492 (M4x8) needed.


Smart Fix	X mm
SG 11206 / SG 11216	33-51
SG 11207 / SG 11217	53-71
SG 11208 / SG 11218	73-91
SG 11154	102-130
SG 11155	132-160
SG 11156	182-210



**Square Smart Fix with slot SG 11216 - SG 11218:**  
Screw SG 10492 (M4x8) needed.



**Universal Smart Fix SG 11154 - SG 11156:**  
Screw SG 11131 (M4x6) needed.




**SG 6117**  
Slot nut




**SG 10492**  
Pan head screw M4x8




**SG 11131**  
Pan head screw with flange  
M4x6




**SG 11206**  
Smart Fix with slot 60 mm




**SG 11207**  
Smart Fix with slot 80 mm




**SG 11208**  
Smart Fix with slot 100 mm




**SG 11216**  
Square Smart Fix with slot 60  
mm




**SG 11217**  
Square Smart Fix with slot 80  
mm




**SG 11218**  
Square Smart Fix with slot  
100 mm



**SG 11154**  
Universal Smart Fix 120 mm




**SG 11155**  
Universal Smart Fix 150 mm




**SG 11156**  
Universal Smart Fix 200 mm

# SYSTEM OPTIONS

## A. WAVE




SG 11295



SG 11302




SG 2255




SG 6364




SG 6365



SG 6366




SG 10430-34




SG 11303



SG 3582



SG 6349



SG 6363



SG 10075



SG 10076

### Standard components:

- SG 11295 End stop
- SG 11302 Wave 2C glider cord 80 mm


### Optional components:

- SG 2255 Brake
- SG 6364 Wave extension
- SG 6365 Wave hanger
- SG 6366 Wave carrier for draw rod
- SG 10430-34 Draw rod
- SG 11303 Wave 2C glider cord 60 mm

### Curtain components:

- SG 3582 Hook
- SG 6349 Wave curtain tape
- SG 6363 Wave top hemming tape
- SG 10075 Lead weight 50 gr/m
- SG 10076 Fabric weight

Wave stack depth - 2C glider cord (standard components)



2C Glider cord SG 11302	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B*	Min distance C
80	6	~2.1	140	180 per metre of track	90
80	7	~2.3	160	180 per metre of track	100

2C Glider cord SG 11303	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B*	Min distance C
60	4	~2.1	100	230 per metre of track	70
60	5	~2.3	120	230 per metre of track	80

\*Stack size B when using optional extension arm increases by 150 mm per curtain!

## GENERAL NOTES

### Dimensions

- Measurements are in mm except where indicated.
- Max. kg relates to fabric incl. accessories.
- Stack size depends on curtain make-up and fabric thickness.
- Distance between gliders max. 80 mm / distance between rollers max. 100 mm.
- Recommended distance floor / fabric: 20 mm.
- In order to determine system height (B), the smallest room height must be taken into account.

### Fitting








- Installation by qualified fitter only.
- Number of brackets and fitting positions / fixing points vary depending on fitting surface, system weight, fabric make-up, screw / fixing type and obstacles.
- Qualified fitter must use appropriate screws / fixings for each situation.
- Profile lip if applicable to be installed to room side.

### Child Safety















- All relevant Silent Gliss systems correspond to child safety EN 13120.
- All parties involved must comply with EN 13120.















# PARTS
















## A. STANDARD PARTS

	<b>SG 3599</b> Hook
	<b>SG 6065</b> End stop
	<b>SG 6086</b> Spring stop
	<b>SG 6103p</b> Profile
	<b>SG 6124</b> Bracket
	<b>SG 6630</b> End cover
	<b>SG 11300</b> 2C glider

## B. OPTIONAL PARTS

	<b>SG 2255</b> Brake
	<b>SG 3012</b> Hook
	<b>SG 3581</b> Hook
	<b>SG 3582</b> Hook
	<b>SG 3598</b> Eyelet
	<b>SG 6004</b> Eyelet
	<b>SG 6053</b> Spring stop
	<b>SG 6057</b> Glider
	<b>SG 6075</b> End stop with hook
	<b>SG 6082</b> Glider
	<b>SG 6094</b> Roller
	<b>SG 6098</b> Roller
	<b>SG 6117</b> Slot nut
	<b>SG 6175</b> Mini hanger

	<b>SG 6240</b> Roller
	<b>SG 6283</b> Roller
	<b>SG 6349</b> Wave curtain tape
	<b>SG 6363</b> Wave top hemming tape
	<b>SG 6364</b> Wave extension
	<b>SG 6365</b> Wave hanger
	<b>SG 6366</b> Wave carrier for draw rod
	<b>SG 6635</b> Connection bridge set
	<b>SG 10075</b> Lead weight 50 g/m
	<b>SG 10076</b> Fabric weight
	<b>SG 10430</b> Draw rod 50 cm
	<b>SG 10431</b> Draw rod 75 cm
	<b>SG 10432</b> Draw rod 100 cm
	<b>SG 10433</b> Draw rod 125 cm

**SG 10434***Draw rod 150 cm***SG 10492***Pan head screw M4x8***SG 11131***Pan head screw with flange M4x6***SG 11154***Universal Smart Fix 120 mm***SG 11155***Universal Smart Fix 150 mm***SG 11156***Universal Smart Fix 200 mm***SG 11206***Smart Fix with slot 60 mm***SG 11207***Smart Fix with slot 80 mm***SG 11208***Smart Fix with slot 100 mm***SG 11216***Square Smart Fix with slot 60 mm***SG 11217***Square Smart Fix with slot 80 mm***SG 11218***Square Smart Fix with slot 100 mm***SG 11295***End stop***SG 11301***2C glider on strip***SG 11302***Wave 2C glider cord 80 mm***SG 11303***Wave 2C glider cord 60 mm***SG 11305***2C glider for direct sewing*